


DIFFERENTIAL LOCKER



APPLICATION CHART



UPDATED SEPTEMBER 2011

Kaiser[®]
DIFFERENTIAL LOCKER

LOCKERS

AGRALE

VEHICLE	YEAR	AXLE	TYPE	SHAFT DIAMETER	SPLINES	BOLTS	RING IN. DIAM.	RATIO	KAISER® PART N°	NOTES
MARRUA AM - 50	-	FRONT	DANA 44	33,3	30	10	141,28	3.92 & up	KL 123	
	-	REAR	DANA 44	33,3	30	10	141,28	3.92 & up	KL 124	

CHEVROLET

VEHICLE	YEAR	AXLE	TYPE	SHAFT DIAMETER	SPLINES	BOLTS	RING IN. DIAM.	RATIO	KAISER® PART N°	NOTES
OMEGA	ALL	REAR	6 (cyl)	29,7	27	8	112,03	-	KL 117	
OPALA		REAR	4 (cyl)	26	24	8	110,06	-	KL 127	
SILVERADO	ALL	REAR	DANA 60	38,1	35	12	161,92	-	KL 141	
CAMPER	-	REAR	DANA 46	33,9	30	10	141,28	-	KL 116	
S10	1995 ON	REAR	DANA 44	33,3	30	10	141,28	3.92 & up	KL 124	
		REAR	DANA 44	33,3	30	10	141,28	3.73 & down	KL 151	

DAIHATSU

VEHICLE	YEAR	AXLE	TYPE	SHAFT DIAMETER	SPLINES	BOLTS	RING IN. DIAM.	RATIO	KAISER® PART N°	NOTES
FEROZA SX	1992 - 98	FRONT	DAIHATSU	26,5	25	12	105	-	KL 155	

ENGESA

VEHICLE	YEAR	AXLE	TYPE	SHAFT DIAMETER	SPLINES	BOLTS	RING IN. DIAM.	RATIO	KAISER® PART N°	NOTES
ENGESA 4X4	-	FRONT	DANA 30	29,5	27	10	114,31	3.73 & up	KL 106	
	-	REAR	DANA 44	33,3	30	10	141,28	3.92 & up	KL 124	
	-	REAR	DANA 44	33,3	30	10	141,28	3.73 & down	KL 151	

FORD

VEHICLE	YEAR	AXLE	TYPE	SHAFT DIAMETER	SPLINES	BOLTS	RING IN. DIAM.	RATIO	KAISER® PART N°	NOTES
MAVERICK	-	REAR	DANA 44	33,3	30	10	141,28	3.73 & down	KL 133	2
	-	REAR	DANA 44	33,3	30	10	141,28	3.92 & up	KL 145	2
F 250, F 350, F 4000	2004 ON	REAR	DANA 60	38,1	35	12	161,92	-	KL 141	10
		FRONT	DANA 44	33,3	30	10	141,28	3.73 & down	KL 159	
RANGER	1998 ON	FRONT	DANA 44	33,3	30	10	141,28	3.92 & up	KL 123	
		REAR	DANA 44	33,3	30	10	141,28	3.73 & down	KL 151	
		REAR	DANA 44	33,3	30	10	141,28	3.92 & up	KL 124	
F 1000	1979 - 90	REAR	DANA 44	33,3	30	10	141,28	3.73 & down	KL 151	1

1 - Gasoline engine only / 2 - May use axle pin / 10 - 4x2 models only

ISUZU

VEHICLE	YEAR	AXLE	TYPE	SHAFT DIAMETER	SPLINES	BOLTS	RING IN. DIAM.	RATIO	KAISER® PART N°	NOTES
TROOPER	1988 - 95	REAR	DANA 44	33,3	30	10	141,28	3.73 & down	KL 151	
LUV	1990 - 96	REAR	DANA 44	33,3	30	10	141,28	3.73 & down	KL 151	

LOCKERS

JEEP

VEHICLE	YEAR	AXLE	TYPE	SHAFT DIAMETER	SPLINES	BOLTS	RING IN. DIAM.	RATIO	KAISER® PART N°	NOTES
WRANGLER JK	2007 ON	FRONT	DANA 30	29,5	27	10	114,31	3.73 & up	KL 106	-
		FRONT	DANA 30	29,5	27	10	114,31	3.54 & down	KL 107	-
		FRONT	DANA 44	33,3	30	10	141,28	3.73 & down	KL 158	14
		REAR	DANA 44	33,3	30	10	141,28	3.73 & down	KL 150	-
WRANGLER TJ	1997 - 06	FRONT	DANA 30	29,5	27	10	114,31	3.54 & down	KL 107	-
		FRONT	DANA 30	29,5	27	10	114,31	3.73 & up	KL 106	-
		FRONT	DANA 44	33,3	30	10	141,28	3.73 & down	KL 159	14
		REAR	DANA 44	33,3	30	10	141,28	3.92 & up	KL 124	-
		REAR	DANA 44	33,3	30	10	141,28	3.73 & down	KL 151	-
WRANGLER YJ	1987 - 96	FRONT	DANA 30	29,5	27	10	114,31	3.54 & down	KL 107	-
		FRONT	DANA 30	29,5	27	10	114,31	3.73 & up	KL 106	-
		FRONT	DANA 44	33,3	30	10	141,28	3.92 & up	KL 124	-
		REAR	DANA 44	33,3	30	10	141,28	3.73 & down	KL 151	-
CHEROKEE SPORT XJ	1996 - 01	FRONT	DANA 30	29,5	27	10	114,31	3.54 & down	KL 107	-
		FRONT	DANA 30	29,5	27	10	114,31	3.73 & up	KL 106	-
		REAR	DANA 44	33,3	30	10	141,28	3.92 & up	KL 124	-
		REAR	DANA 44	33,3	30	10	141,28	3.73 & down	KL 151	-
GRAND CHEROKEE ZJ	1993 - 98	FRONT	DANA 30	29,5	27	10	114,31	3.54 & down	KL 107	-
		FRONT	DANA 30	29,5	27	10	114,31	3.73 & up	KL 106	-
		REAR	DANA 44	33,3	30	10	141,28	3.92 & up	KL 124	-
		REAR	DANA 44	33,3	30	10	141,28	3.73 & down	KL 151	-

14 - Rubicon model

JPX

VEHICLE	YEAR	AXLE	TYPE	SHAFT DIAMETER	SPLINES	BOLTS	RING IN. DIAM.	RATIO	KAISER® PART N°	NOTES
MONTEZ	1995 - 01	FRONT	CARRARO	35	26	12	119,96	-	KL 134	
		REAR	CARRARO	35	26	12	119,96	-	KL 135	

KIA

VEHICLE	YEAR	AXLE	TYPE	SHAFT DIAMETER	SPLINES	BOLTS	RING IN. DIAM.	RATIO	KAISER® PART N°	NOTES
SPORTAGE	TO 2004	FRONT	KIA	27,4	26	10	108,04	-	KL 111	

LAND ROVER

VEHICLE	YEAR	AXLE	TYPE	SHAFT DIAMETER	SPLINES	BOLTS	RING IN. DIAM.	RATIO	KAISER® PART N°	NOTES
DEFENDER 90	1993 ON	FRONT	ROVER	31,5	24	10	125,43	3.54	KL 114	
		REAR	ROVER	31,5	24	10	125,43	3.54	KL 115	
DEFENDER 110, 130	1993 ON	FRONT	ROVER	31,5	24	10	125,43	3.54	KL 114	
	1983 - 02	REAR	SALISBURY	31,5	24	12	161,90	3.54	KL 105	
	2002 ON	REAR	WOLF P38	31,5	24	10	125,43	3.54	KL 153	
DISCOVERY	1993 - 98	FRONT	ROVER	31,5	24	10	125,43	3.54	KL 114	
		REAR	ROVER	31,5	24	10	125,43	3.54	KL 115	
DISCOVERY II	ALL	FRONT	ROVER	31,5	24	10	125,43	3.54	KL 114	
	ALL	REAR	ROVER	31,5	24	10	125,43	3.54	KL 115	
RANGE ROVER	1993 - 95	FRONT	ROVER	31,5	24	10	125,43	3.54	KL 114	
	1993 - 95	REAR	ROVER	31,5	24	10	125,43	3.54	KL 115	
	1995 - 02	FRONT	WOLF P38	31,5	24	10	125,43	3.54	KL 160	
	1995 - 02	REAR	WOLF P38	31,5	24	10	125,43	3.54	KL 153	

LOCKERS

MERCEDES

VEHICLE	YEAR	AXLE	TYPE	SHAFT DIAMETER	SPLINES	BOLTS	RING IN. DIAM.	RATIO	KAISER® PART N°	NOTES
SPRINTER 321 CDI	-	REAR	MB	34,9	26	10	127,02	-	KL 118	
G WAGON	-	REAR	MB	34,9	26	10	127,02	-	KL 118	
SPRINTER	-	REAR	DANA 46	33,9	30	10	141,28	-	KL 116	

MITSUBISHI

VEHICLE	YEAR	AXLE	TYPE	SHAFT DIAMETER	SPLINES	BOLTS	RING IN. DIAM.	RATIO	KAISER® PART N°	NOTES
L 200 SPORT/ OUTDOOR/ RS	2004 ON	FRONT	MITSUBISHI	26,6	25	10	111,98	All	KL 103	
		REAR	MITSUBISHI	30	28	12	145,8	All	KL 104	
L 200 SAVANA	2004 - 08	FRONT	MITSUBISHI	26,6	25	10	111,98	All	KL 103	
		REAR	MITSUBISHI	30	28	12	145,8	All	KL 104	
	2009 ON	FRONT	DANA 44	33,3	30	10	141,28	3.92 & up	KL 124	7
		REAR	MITSUBISHI	30	28	10	124,01	All	KL 120	
L 200 GL/ GLS	2008 ON	FRONT	MITSUBISHI	26,6	25	10	111,98	All	KL 103	
		REAR	MITSUBISHI	30	28	12	145,8	All	KL 104	
		FRONT	MITSUBISHI	26,6	25	10	111,98	All	KL 103	
L 200 TRITON	2008 ON	FRONT	MITSUBISHI	28,8	28	10	123,97	All	KL 125	
		REAR	MITSUBISHI	34,5	31	12	145,02	All	KL 112	
L 200 TRITON SR	2009 ON	FRONT	MITSUBISHI	28,8	28	10	123,97	All	KL 125	
		REAR	MITSUBISHI	34,5	33	12	145	All	KL 147	
L 200 EVOLUTION/ PAJERO FULL 3.2/3.8	2002 ON	FRONT	MITSUBISHI	28,8	28	10	123,97	All	KL 125	
		REAR	MITSUBISHI	34,5	33	12	145	All	KL 147	
PAJERO IO/ TR4/TR4 R	1998 - 03	FRONT	MITSUBISHI	26,6	25	10	111,98	All	KL 103	
		ALL	REAR	MITSUBISHI	30	28	10	124,01	All	KL 120
PAJERO 3000	1997	FRONT	MITSUBISHI	26,6	25	10	111,98	All	KL 103	
		FRONT	MITSUBISHI	28,8	28	10	123,97	All	KL 125	
PAJERO 3500	1998 - 01	FRONT	MITSUBISHI	28,8	28	10	123,97	All	KL 125	
		REAR	MITSUBISHI	30,1	28	12	145	All	KL 126	
	1998 - 01	FRONT	MITSUBISHI	28,8	28	10	123,97	All	KL 125	
		REAR	MITSUBISHI	34,5	31	12	145,02	All	KL 112	

7 - L 200 Savana with Dana 44 diff without locker switch on dashboard

NISSAN

VEHICLE	YEAR	AXLE	TYPE	SHAFT DIAMETER	SPLINES	BOLTS	RING IN. DIAM.	RATIO	KAISER® PART N°	NOTES
FRONTIER/NAVARA	TO 2004	REAR	DANA 44	33,3	30	10	141,28	3.92 & up	KL 124	15
X TERRA	2004 - 08	REAR	-	33,9	30	10	141,28	-	KL 162	15

15 - Diesel engine only

LOCKERS

SUZUKI

VEHICLE	YEAR	AXLE	TYPE	SHAFT DIAMETER	SPLINES	BOLTS	RING IN. DIAM.	RATIO	KAISER® PART N°	NOTES
SAMURAI	1984 - 97	FRONT	SUZUKI	23,9	22	10	108,02	All	KL 121	3
	1998 - 03	FRONT	SUZUKI	23,9	22	8	108,02	All	KL 136	4
	1984 ON	REAR	SUZUKI	27,4	26	10	108,02	All	KL 122	
JIMNY	-	FRONT	SUZUKI	23,9	22	8	108,02	All	KL 148	
	ALL	REAR	SUZUKI	27,4	26	10	108,02	All	KL 122	
VITARA	1988 - 98	FRONT	SUZUKI	27,4	26	10	108,02	All	KL 128	
	-	FRONT	SUZUKI	27,4	26	10	108,02	All	KL 119	8
	-	REAR	SUZUKI	27,4	26	12	108,02	All	KL 129	
	1988 - 93	REAR	SUZUKI	27,4	26	10	118	All	KL 156	5
	-	REAR	SUZUKI	27,4	26	12	118	All	KL 157	5
SIDEKICK/ TRACKER	1988 - 98	FRONT	SUZUKI	27,4	26	10	108,02	All	KL 128	
		REAR	SUZUKI	27,4	26	12	118	All	KL 157	9 and 5
GRAND VITARA/ TRACKER	1998 - 05	FRONT	SUZUKI	27,4	26	10	108,02	All	KL 128	12
		REAR	SUZUKI	27,4	26	12	108,02	All	KL 129	13
		REAR	SUZUKI	27,4	26	12	118	All	KL 157	9 and 5

3 - Leaf spring suspension / 4 - Coil spring suspension / 5 - High ring gear Suzuki / 8 - Manufactured in Ecuador / 9 - Manufactured in North America
 12 - Need to adapt manual free wheel hubs / 13 - Manufactured in Japan/ Argentina

TOYOTA

VEHICLE	YEAR	AXLE	TYPE	SHAFT DIAMETER	SPLINES	BOLTS	RING IN. DIAM.	RATIO	KAISER® PART N°	NOTES
FJ 40, BANDEIRANTES	ALL	FRONT	TOYOTA	33	30	12	138,11	All	KL 101	6
		REAR	TOYOTA	33	30	12	138,11	All	KL 102	6
FZJ 80	1993 - 97	FRONT	AISIN	33	30	10	126,29	All	KL 138	6
		REAR	TOYOTA	33	30	12	138,11	All	KL 102	6
HILUX	1988 - 05	FRONT	AISIN	33	30	10	126,29	All	KL 138	6 and 11
		REAR	AISIN	33	30	10	126,02	All	KL 137	6 and 11
HILUX	2005 ON	REAR	TOYOTA	33	30	10	126,29	All	KL 146	6 and 11
FJ CRUISER	2005 ON	FRONT	TOYOTA	33	30	10	126,29	3.91 & up	KL 140	6

6 - Full floating axles only / 11 - Manufactured in Argentina

TROLLER

VEHICLE	YEAR	AXLE	TYPE	SHAFT DIAMETER	SPLINES	BOLTS	RING IN. DIAM.	RATIO	KAISER® PART N°	NOTES
TROLLER	TO 2001	FRONT	DANA 44	33,3	30	10	141,27	3.92 & up	KL 143	1
		REAR	DANA 44	33,3	30	10	141,27	3.92 & up	KL 145	1
TROLLER	2002 ON	FRONT	DANA 44	33,3	30	10	141,28	3.92 & up	KL 123	
		REAR	DANA 44	33,3	30	10	141,28	3.92 & up	KL 124	

1 - Gasoline engine only

LOCKERS

VOLKSWAGEN

VEHICLE	YEAR	AXLE	TYPE	SHAFT DIAMETER	SPLINES	BOLTS	RING IN. DIAM.	RATIO	KAISER® PART N°	NOTES
GOL, SAVEIRO,	-	FRONT	VW	26,7	33	8	100,04	-	KL 108	
PARATI, VOYAGE	-	FRONT	ADAPTED GTI	29,5	37	8	100,03	-	KL 109	
SANTANA	-	FRONT	VW	26,7	33	10	115,02	-	KL 110	
FUSCA	-	REAR	VW	0	0	8	108,02	-	KL 100	
KOMBI	TO 2006	REAR	VW	26,7	33	8	100,01	-	KL 113	

WILLYS

VEHICLE	YEAR	AXLE	TYPE	SHAFT DIAMETER	SPLINES	BOLTS	RING IN. DIAM.	RATIO	KAISER® PART N°	NOTES
CJ3, CJ5, RURAL, F 75	-	FRONT	DANA 44	31,8	19	10	141,28	3.73 & down	KL 130	2
	-	REAR	DANA 44	31,8	19	10	141,28	3.73 & down	KL 132	2
	-	FRONT	DANA 44	31,8	19	10	141,28	3.92 & up	KL 142	2
	-	REAR	DANA 44	31,8	19	10	141,28	3.92 & up	KL 144	2
	-	FRONT	DANA 44	33,3	30	10	141,28	3.73 & down	KL 131	2
	-	REAR	DANA 44	33,3	30	10	141,28	3.73 & down	KL 133	2
	-	FRONT	DANA 44	33,3	30	10	141,28	3.92 & up	KL 143	2
	-	REAR	DANA 44	33,3	30	10	141,28	3.92 & up	KL 145	2

2 - May use axle pin

GENERAL NOTES

KAISER LOCKERS ARE DEVELOPED BASED ON ORIGINAL SATELLITE BOXES AND TECHNICAL DRAWINGS FROM VEHICLE 'S MANUFACTURER. APPLICATIONS LISTED IN THIS CATALOG ARE FOR REFERENCE ONLY.

MODELS OF VEHICLES MAY VARY FROM ONE COUNTRY TO ANOTHER THEREFORE WE STRONGLY SUGGEST OUR CUSTOMERS TO CHECK RATIO, MEASURES OF BEARINGS, SPLINES, BOLTS AND RING GEAR TO FIND THE CORRECT APPLICATION.

PLEASE CONTACT US IN CASE YOU NEED ANY ADDITIONAL INFORMATION.

Power-Trax.de

Sonderfahrzeugbau - Technischer Spezialvertrieb

<http://www.power-trax.de>

info @ power-trax.de

Tel.: +49 - (0)906 / 9999 849-17

Mobil: +49 - (0)163 / 4321 435

Fax: +49 - (0)906 / 9999 849-18

Dietrich-Bonhoeffer-Str. 28

D-86609 Donauwoerth

